AUTHOR INDEX

Affens, W. A.
Determination of Flammability Index of Hydrocarbon Fuels by Means of a Hydrogen Flame Ionization Detector, p. 141.

Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Anderson, R. A.
Aircraft Interior Sandwich Panel Development, p. 364.

Bangston, C. P.
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

Barnes, G. J.
The Use of the High Flux Heater in the Smoke Chamber to Measure Ignitability and Smoke Evolution of Composite Panels, p. 324.

Benisek, L.
The Effect of pH on the Smoke Emission of Wool, p. 247.

The Effect of Flame-Resist Treatments on the Smoke Emission of Wool Upholstery Fabrics, p. 458.

The Effect of Backing Fibre and Latex Type on the Burning Behaviour and Smoke Emission of Wool Carpets for Aircraft Interiors, p. 516.

Beyreis, J. R.
Fire Behavior of Building Interior Finish Materials, p. 41.

Bonsignore, P. V.
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Brauman, S. K.
Effect of Sample Temperature on Combustion Performance of Polymers, p. 210.

Bridgman, A. L.
Material Performance in Transportation Vehicle Interiors, p. 262.

Buchler, A.
The Prediction of Toxic Atmospheres from Decomposing Polymers, p. 478.

Carhart, H. W.
Determination of Flammability Index of Hydrocarbon Fuels by Means of a Hydrogen Flame Ionization Detector, p. 141.

Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Cassanova, R. A.
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

Castino, G. T.
Fire Behavior of Building Interior Finish Materials, p. 41.

Christian, W. J.
Fire Behavior of Building Interior Finish Materials, p. 41.

Clark, R. C.
Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

Cumming, H. J.
Hydrocarbon Concentrations in Fire Toxicity Tests as an Indication of Flash Fire Propensity, p. 235.

Studies with the Arapahoe Smoke Chamber, p. 300.

A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Flash Fire Propensity of Materials, p. 443.

Dieck, R. L.
Flame and Smoke Properties of the Polyphosphazenes. IV: Effects of Copolymer Composition, p. 412.

Duskin, F. E.
Fire Testing of Aircraft Cabins, p. 193.

Feher, R. E.
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

Ford, H. W., Jr.
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Gaskill, J. R.
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Hadvig, S.
Heat Transfer in Fire Test Furnaces, p. 423.

Hilado, C. J.
Thermochemical Characterization of Some

Thermoplastic Materials, p. 59.

The Correlation of Laboratory Test Results with Behavior in Real Fires, p. 202.

Hydrocarbon Concentrations in Fire Toxicity Tests as an Indication of Flash Fire Propensity, p. 235.

Studies with the Arapahoe Smoke Chamber, p. 300.

The Use of the High Flux Heater in the Smoke Chamber to Measure Ignitability and Smoke Evolution of Composite Panels, p. 324.

A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

The Prediction of Toxic Atmospheres from Decomposing Polymers, p. 478.

Flash Fire Propensity of Materials, p. 443.

A Simple Laboratory Method for Evaluating Heat Release Characteristics of Materials, p. 532.

Hognat, J.
Fire Response and Fire Resistance of Metallic and Non-Metallic Materials, p. 506.

Johnson, G. A.
Aircraft Interior Sandwich Panel Development, p. 364.

Kols, E. L.
A Simple Laboratory Method for Evaluating Heat Release Characteristics of Materials, p. 532.

Kourtides, D. A.
Thermochemical Characterization of Some Thermoplastic Materials, p. 59.

The Use of the High Flux Heater in the Smoke Chamber to Measure Ignitability and Smoke Evolution of Composite Panels, p. 324.

Leonard, J. T.
Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

Levendusky, T. L.
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Li, C. C.
Estimating Flash Points of Organic Compounds, p. 38.

Litant, I.
Fire Safety Problems in Ground Mass Transportation, p. 255.

Marshall, P. D.
Correlation of Large and Small Scale Tests on Carbon-Impregnated Polyurethane Foams, p. 180.

McLaren, G. W.
Determination of Flammability Index of Hydrocarbon Fuels by Means of a Hydrogen Flame Ionization Detector, p. 141.

Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Miller, H. H.
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Moore, J. B.
Estimating Flash Points of Organic Compounds, p. 38.

Morford, R. H.
The Flammability of Neoprene Cushioning Foam, p. 279.

Muhlenkamp, S. P.
The Pyrolysis Energy of Natural Fuels, p. 225.

Nelson, G. L.
Material Performance in Transportation Vehicle Interiors, p. 262.

O'Connell, W. J. J.
Material Performance in Transportation Vehicle Interiors, p. 262.

Parker, J. A.
Thermochemical Characterization of Some Thermoplastic Materials, p. 59.

The Use of the High Flux Heater in the Smoke Chamber to Measure Ignitability and Smoke Evolution of Composite Panels, p. 324.

Paulsen, O. R.
Heat Transfer in Fire Test Furnaces, p. 423.

Phillips, W. A.
The Effect of pH on the Smoke Emission of Wool, p. 247.

The Effect of Flame-Resist Treatments on the Smoke Emission of Wool Upholstery Fabrics, p. 458.

The Effect of Backing Fibre and Latex Type on the Burning Behaviour and Smoke Emission of Wool Carpets for Aircraft Interiors, p. 516.

Powell, E. A.
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

Quinn, E. J.
Flame and Smoke Properties of the Polyphosphazenes. IV: Effects of Copolymer Compositions, p. 412.

Smith, E. E.
Release Rate Tests and Their Application, p. 309.

Speitel, L. C.
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

Spurgeon, J. C.
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

Starrett, P. S.
Factors Influencing Flame Spread Rates in Solid Materials, p. 5.

Tatem, P. A.
Correlation of Large and Small Scale Tests on Carbon-Impregnated Polyurethane Foams, p. 180.

Taylor, R. D.
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Tewarson, A.
Heat Release Rates from Burning Plastics, p. 115.

Wagner, J. P.
Particle Size and Mass Distributions of Selected Smokes. Effect on Ionization Detector Response, p. 26.

Welker, J. R.
The Pyrolysis Energy of Natural Fuels, p. 225.

Welker, R. W.
Particle Size and Mass Distributions of Selected Smokes. Effect on Ionization Detector Response, p. 26.

Williams, F. W.
Correlation of Large and Small Scale Tests on Carbon-Impregnated Polyurethane Foams, p. 180.

Williams, J. B.
Material Performance in Transportation Vehicle Interiors, p. 262.

Yumoto, T.
Fire Spread Between Two Oil Tanks, p. 494.

Zinn, B. T.
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

SUBJECT INDEX

ABS
Material Performance in Transportation Vehicle Interiors, p. 262.

Acrylic
Material Performance in Transportation Vehicle Interiors, p. 262.

Actual Fires
The Flammability of Neoprene Cushioning Foam, p. 279.

Aircraft
Aircraft Interior Sandwich Panel Development, p. 364.

Aircraft Fire Safety
Factors Influencing Flame Spread Rates in Solid Materials, p. 5.

Fire Testing of Aircraft Cabins, p. 193.

Aircraft Interiors
The Effect of Backing Fibre and Latex Type on the Burning Behaviour and Smoke Emission of Wool Carpets for Aircraft Interiors, p. 516.

Alumina Trihydrate
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Arapahoe Smoke Chamber
Studies with the Arapahoe Smoke Chamber, p. 300.

Auto Ignition
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Bismaleimide
Aircraft Interior Sanwich Panel Development, p. 364.

Boiling Point
Estimating Flash Points of Organic Compounds, p. 38.

Building Fires
Heat Transfer in Fire Test Furnaces, p. 423.

Carbon Dioxide

Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

CO_2 Fire Extinguishers
Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

Cascade Impactor
Particle Size and Mass Distributions of Selected Smokes. Effect of Ionization Detector Response, p. 26.

Central Composite Design Experiment
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Close Cup
Estimating Flash Points of Organic Compounds, p. 38.

Combustion Gases
Material Performance in Transportation Vehicle Interiors, p. 262.

Combustion Products
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

The Flammability of Neoprene Cushioning Foam, p. 279.

Combustion Tube Furnace
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

Compartment Fires
Fire Behavior of Building Interior Finish Materials, p. 41.

Composite
Aircraft Interior Sandwich Panel Development, p. 364.

Composite Panels,
Smoke Chamber Evaluation
The Use of the High Flux Heater in the Smoke Chamber to Measure Ignitability and Smoke Evolution of Composite Panels, p. 324.

Composites, Flammability
Fire Response and Fire Resistance of Metallic and Non-Metallic Materials, p. 506.

Corner Tests
Fire Behavior of Building Interior Finish Materials, p. 41.

Material Performance in Transportation Vehicle Interiors, p. 262.

Correlation, Real Fires vs. Laboratory
The Correlation of Laboratory Test Results with Behavior in Real Fires, p. 202.

DMMP
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

DSC Analysis
The Pyrolysis of Energy of Natural Fuels, p. 225.

Decomposition Modeling
The Pyrolysis Energy of Natural Fuels, p. 225.

Development
Aircraft Interior Sandwich Panel Development, p. 364.

Dimethyl Methylphosphonate
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Epoxy
Aircraft Interior Sandwich Panel Development, p. 364.

Estimation
Estimating Flash Points of Organic Compounds, p. 38.

Fillers
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Fire
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Release Rate Tests and Their Application, p. 309.

Fire, Environmental Influences
Factors Influencing Flame Spread Rates in Solid Materials, p. 5.

Fire Growth
Fire Behavior of Building Interior Finish Materials, p. 41.

Fire Protection
Factors Influencing Flame Spread Rates in Solid Materials, p. 5.

Fire Research
Release Rate Tests and Their Application, p. 309.

Fire Tests
Factors Influencing Flame Spread Rates in Solid Materials, p. 5.

Fire Behavior of Building Interior Finish Materials, p. 41.

Release Rate Tests and Their Application, p. 309.

Fires, Oil Tanks
Fire Spread Between Oil Tanks, p. 494.

Flame Ionization Detector
Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Flame Retardants
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

The Effect of Flame-Resist Treatments on the Smoke Emission of Wool Upholstery Fabrics, p. 458.

Flame Spread
Factors Influencing Flame Spread Rates in Solid Materials, p. 5.

Fire Behavior of Building Interior Finish Materials, p. 41.

Flammability
Thermochemical Characterization of Some Thermoplastic Materials, p. 59.

Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

The Correlation of Laboratory Test Results with Behavior in Real Fires, p. 202.

Determination of Flammability Index of Hydrocarbon Fuels by Means of a Hydrogen Flame Ionization Detector, p. 141.

The Flammability of Neoprene Cushioning Foam, p. 279.

Aircraft Interior Sandwich Panel Development, p. 364.

Flameover
Fire Behavior of Building Interior Finish Materials, p. 41.

Flash Fire Propensity, Materials
A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Flash Fires
Flash Fire Propensity of Materials, p. 443.

Flash Point
Estimating Flash Points of Organic Compounds, p. 38.

Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Flashover
The Correlation of Laboratory Test Results with Behavior in Real Fires, p. 202.

Flow Velocity Effects
Particle Size and Mass Distribution of Selected Smokes. Effect on Ionization Detector Response, p. 26.

Forest Fuels
The Pyrolysis Energy of Natural Fuels, p. 225.

Furnaces, Test
Heat Transfer in Fire Test Furnaces, p. 423.

Gas Analysis
Fire Testing of Aircraft Cabins, p. 193.

Glazing
Material Performance in Transportation Vehicle Interiors, p. 262.

H-C Fuels, Flammability Index
Determination of Flammability Index of Hydrocarbon Fuels by Means of a Hydrogen Flame Ionization Detector, p. 141.

Heat Release, Materials
A Simply Laboratory Method for Evaluating Heat Release Characteristics of Materials, p. 532.

Heat Release Rate
Fire Behavior of Building Interior Finish Materials, p. 41.

Hydrocarbon Vapors
Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Ignition
Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

The Use of the High Flux Heater in the Smoke Chamber to Measure Ignitability and Smoke Evolution of Composite Panels, p. 324.

Ignition Hazards
Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

Interior Finish
Fire Behavior of Building Interior Finish Materials, p. 41.

Ionization Detector, Hydrogen Flame
Determination of Flammability Index of Hydrocarbon Fuels by Means of a Hydrogen Flame Ionization Detector, p. 141.

Ionization Smoke Detectors
Particle Size and Mass Distributions of Selected Smokes. Effect of Ionization Detector Response, p. 26.

Kinetic Analysis
The Pyrolysis Energy of Natural Fuels, p. 225.

Large Scale Tests
Material Performance in Transportation Vehicle Interiors, p. 262.

Lavatories
Fire Testing of Aircraft Cabins, p. 193.

A Linear Regression
Estimating Flash Points of Organic Compounds, p. 38.

Liquid Hydrocarbons
Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Mass Distributions
Particle Size and Mass Distributions of Selected Smokes. Effect of Ionization Detector Response, p. 26.

Mass Transportation, Fire Safety
Fire Safety Problems in Ground Mass Transportation, p. 255.

NBS Smoke Chamber
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

Neoprene Foam
The Flammability of Neoprene Cushioning Foam, p. 279.

Material Performance in Transportation Vehicle Interiors, p. 262.

Oil Fires
Fire Spread Between Two Oil Tanks, p. 494.

Open Cup
Estimating Flash Points of Organic Compounds, p. 38.

PMMA, Combustion Products
Heat Release Rates from Burning Plastics, p. 115.

PMMA, Smoke Generation
Heat Release Rates from Burning Plastics, p. 115.

PVC, Combustion Products
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

PVC, Decomposition
The Prediction of Toxic Atmospheres from Decomposing Polymers, p. 478.

PVC, Polyethylene,
Polyurethane and Punk Smokes
Particle Size and Mass Distributions of Selected Smokes. Effect on Ionization Detector Response, p. 26.

Particle Size
Particle Size and Mass Distributions of Selected Smokes. Effect of Ionization Detector Response, p. 26.

Petroleum Fuels
Variation of Flammability Index with Temperature and the Relationship to Flash Point of Liquid Hydrocarbons, p. 152.

Phenolic
Aircraft Interior Sandwich Panel Development, p. 364.

Plastic Smokes
Particle Size and Mass Distributions of Selected Smokes. Effect of Ionization Detector Response, p. 26.

Plastics
Fire Testing of Aircraft Cabins, p. 193.

Polycarbonate, Flash Fire Propensity
A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Polycarbonates
Thermochemical Characterization of Some Thermoplastic Materials, p. 59.

Material Performance in Transportation Vehicle Interiors, p. 262.

Polychloroprene, Flash Fire Propensity
A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Polychloroprene Foam
The Flammability of Neoprene Cushioning Foam, p. 279.

Polyethylene, Decomposition
The Prediction of Toxic Atmospheres from Decomposing Polymers, p. 478.

Polyethylene, Flash Fire Propensity
A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Polyimide
Aircraft Interior Sandwich Panel Development, p. 364.

Polymethyl Methacrylate
Material Performance in Transportation Vehicle Interiors, p. 262.

The Prediction of Toxic Atmospheres from Decomposing Polymers, p. 478.

Polyoxymethylene, Combustion Products
Heat Release Rates from Burning Plastics, p. 115.

Polyoxymethylene, Smoke Generation
Heat Release Rates from Burning Plastics, p. 115.

Polyphosphazenes, Flame/Smoke
Flame and Smoke Properties of the Polyphosphazenes. IV: Effects of Copolymer Compositions, p. 412.

Polystyrene, Combustion Products
Heat Release Rates from Burning Plastics, p. 115.

Polystyrene, Flash Fire Propensity
A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Polystyrene, Smoke Generation
Heat Release Rates from Burning Plastics, p. 115.

Polyurethane
Material Performance in Transportation Vehicle Interiors, p. 262.

Polyurethane Foam (HD)
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Polyurethane Foams
The Correlation of Laboratory Test Results with Behavior in Real Fires, p. 202.

Pyrolysis Energy
The Pyrolysis Energy of Natural Fuels, p. 225.

Radiant Heater
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Rail-Car Assembly
Material Performance in Transportation Vehicle Interiors, p. 262.

Relative Flash Point
Estimating Flash Points of Organic Compounds, p. 38.

Relative Humidity Effects
Particle Size and Mass Distributions of Selected Smokes. Effect on Ionization Detector Response, p. 26.

Relative Normal Boiling Point
Estimating Flash Points of Organic Compounds, p. 38.

Release Rates
Release Rate Tests and Their Application, p. 309.

Resins
Aircraft Interior Sandwich Panel Development, p. 364.

Rigid High Density Polyurethane Foams
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Room Corner Tests
Material Performance in Transportation Vehicle Interiors, p. 262.

Room Flashover
Fire Behavior of Building Interior Finish Materials, p. 41.

Sample Temperature Profiles
Effect of Sample Temperature on Combustion Performance of Polymers, p. 210.

Sandwich Panel
Aircraft Interior Sandwich Panel Development, p. 364.

Scaling
The Correlation of Laboratory Test Results with Behavior in Real Fires, p. 202.

Seat Cushions
Material Performance in Transportation Vehicle Interiors, p. 262.

Smoke
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Material Performance in Transportation Vehicle Interiors, p. 262.

Smoke Chamber
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Smoke Development
Development, Calibration, and Use of a High-Flux Heater in the NBS/LLL Smoke Chamber, p. 160.

Smoke Emission
Aircraft Interior Sandwich Panel Development, p. 364.

Smoke Generation Race
Particle Size and Mass Distributions of Selected Smokes. Effect on Ionization Detector Response, p. 26.

Smoke Suppressants
Alumina Trihydrate as a Flame Retardant and Smoke Suppressive Filler in Rigid High Density Polyurethane Foams, p. 95.

Static Electricity
Ignition of Flammable Vapors by CO_2 Fire Extinguishers, p. 131.

Temperature
Material Performance in Transportation Vehicle Interiors, p. 262.

Testing
Fire Testing of Aircraft Cabins, p. 193.

The Flammability of Neoprene Cushioning Foam, p. 279.

Thermal Analysis
Fire Testing of Aircraft Cabins, p. 193.

Thermal Environment
Effect of Sample Temperature on Combustion Performance of Polymers, p. 210.

Thermochemistry
Thermochemical Characterization of Some Thermoplastic Materials, p. 59.

Thermogravimetric Analysis
The Pyrolysis Energy of Natural Fuels, p. 225.

Thermoplastic Polymers
Thermochemical Characterization of Some Thermoplastic Materials, p. 59.

Toxic Atmospheres
The Prediction of Toxic Atmospheres from Decomposing Polymers, p. 478.

Toxic Gas Analysis
Oxidative Pyrolysis of Aircraft Interior Materials, p. 349.

Toxic Gas Emission
Aircraft Interior Sandwich Panel Development, p. 364.

Toxicology
The Flammability of Neoprene Cushioning Foam, p. 279.

Transportation
Material Performance in Transportation Vehicle Interiors, p. 262.

Upholstery
The Effect of Flame-Resist Treatments on the Smoke Emission of Wool Upholstery Fabrics, p. 458.

Urethane Foam, Combustion Products
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

Urethanes, Flash Fire Propensity
A Simple Laboratory Method for Determining Flash Fire Propensity of Materials, p. 332.

Variable Polymer Ranking
Effect of Sample Temperature on Combustion Performance of Polymers, p. 210.

Vehicle Interiors
Material Performance in Transportation Vehicle Interiors, p. 262.

Wood, Combustion Products
Detailed Measurements of the Physical Characteristics of Smoke Particulates Generated by Flaming Materials, p. 395.

Wool
The Effect of Flame-Resist Treatments on the Smoke Emission of Wool Upholstery Fabrics, p. 458.

Wool Carpets
The Effect of Backing Fibre and Latex Type on the Burning Behaviour and Smoke Emission of Wool Carpets for Aircraft Interiors, p. 516.

Wool, Smoke Emission
The Effect of pH on the Smoke Emission of Wool, p. 247.

The Effect of Backing Fibre and Latex Type on the Burning Behaviour and Smoke Emission of Wool Carpets for Aircraft Interiors, p. 516.